











hauser *gastro*
swiss

SOC-3110-1 Korbbanddurchläufer



	Model	SOC 31-10.1	
	Code Production	T101HAU...	
Interface :			



	Overall Dimension (Width-Depth-Height) *open	mm	1.150 x 770 x 1.615(2088*)
	Packaging Dimension (WxDxH)	mm	1.280x920x180 0
	Gross weight	Kg	24 0
	Net weight	Kg	20 0
	Volume	mc	2,3
	Rack size	mm	500x50 0
	Useable wash chamber height	mm	45 0
	Tank wash construction		deep drawn
	Tank pre-wash construction		-
	General construction		double skin
	Door Construction		double skin and insulated
	Wash Tank volume	liter	70
	Wash Tank heating element	W	10.500
	Wash Tank surface strainers		Yes- composite
	Wash drawer-like strainers		optional
	Pre-Wash Tank volume	liter	-
	Pre-Wash Tank heating element	W	-
	Pre-Wash Tank surface strainers		-
	Pre-Wash drawer-like strainers		-
	Wash pump type		double flow
	Wash pump power	W	1.500
	Wash pump delivery	Lt/min	720
	Wash temperature	°C	60
	Pre-Wash pump type		-
	Pre-Wash pump power	W	-
	Pre-Wash temperature	°C	-
	Boiler volume	liter	17
	Boiler heating element (with 50°C inlet water) standard	W	9.500
	Boiler heating element (with 10°C inlet water)	W	16.000
	Boiler heating element (with 10°C inlet water +Recovery)	W	12.000
	Back-flow system		valve
	Rinse type		single rinse
	Pre-Rinse		-
	Rinse temperature	°C	82

Hauser Gastro AG

Werkstrasse 4

CH - 8620 Wetzikon

Telefon: 0041 44 930 18 88

www.hauser-gastro.ch

info@hauser-gastro.ch